

according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

aquaplus® (base + catalyst)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Earmould material for use in audiology.

1.3. Details of the supplier of the	<u>safety data sheet</u>	
Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax:+49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainal	ble during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 a.m	4.00 p.m.)
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainal	ole during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.0	00 p.m.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Contains polydimethylsiloxane with functional groups. + fillers and pigment catalyst: additionally platinum complex compound.



according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 2 of 7

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
8042-47-5	paraffin oil			5 - < 10 %	
	232-455-8 01-2119487078-27				
	Asp. Tox. 1; H304				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 3 of 7

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Silicone material for use in audiology. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: NBR (Nitrile rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	base: red/ blue, catalyst: white
Odour:	characteristic

Test method

not determined

Changes in the physical state

pH-Value:

according to Regulation (EC) No 1907/2006

Revision date: 05.06.2013 Product code: 1057 Page 4 of 7 Meiting point: not determined Initial boiling range: not determined Flash point: > 100 °C DIN 51755 Flammability solid: not applicable Gas: not applicable determined Upper explosion limits: not determined 100 °C Upper explosion limits: not determined 100 °C Upper explosion limits: not determined 400 °C Upper explosion limits: not applicable 400 °C Gas: not applicable 635 Colidzing properties >400 °C DIN 51794 Auto-ignition temperature: >400 °C DIN 51794 Solid: not applicable 635 Decomposition temperature: >180 °C Vapour pressure: <10 hPa (at 20 °C) 0.92 g/cm³ Density (at 20 °C): 0.92 g/cm³ Vapour density: not determined Partition coefficient: not determined Viscosity / dynamic: 45000 mPa ·s ROOKFIELD (at 23 °C) Vapour density: not determined Evaporation rate: not determined Solid content: not determined <th></th> <th>aquaplus® (base + catalyst)</th> <th>David of 7</th>		aquaplus® (base + catalyst)	David of 7
Initial boiling point and boiling range: not determined Flash point: >100 °C DIN 51755 Flammability Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Gas: not applicable Gas: not applicable Decomposition temperature: >180 °C Oxidizing properties Not oxidizing. Vapour pressure: (10 hPa (at 20 °C) Density (at 20 °C): 0,92 g/cm ³ DIN 51757 Water solubility: insoluble Solubility in other solvents not determined Partition coefficient: not determined Partition coefficient: not determined Viscosity / dynamic: (23 °C) Vapour density: not determined Evaporation rate: not determined Solubility in ther solvents Not determined Niscosity / dynamic: (23 °C) Vapour density: not determined Evaporation rate: not determined	Revision date: 09.08.2018	Product code: 1087	Page 4 of 7
Flash point: >100 °C DIN 51755 Flammability not applicable Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Oxidizing properties >180 °C Not oxidizing. <10 hPa Vapour pressure: <10 hPa (at 20 °C): 0,92 g/cm³ Density (at 20 °C): 0,92 g/cm³ Vater solubility: insoluble Partition coefficient: not determined Partition coefficient: not determined Viscosity / dynamic: 45000 mPa ·s BROOKFIELD (at 23 °C) vapour density: not determi		not determined	
Flammability not applicable Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature >400 °C DIN 51794 Solid: not applicable Gas: not applicable Gas: not applicable Gas: Image: Composition temperature Solid: not applicable Gas: Image: Composition temperature Decomposition temperature: >180 °C Image: Composition temperature Vapour pressure: <10 hPa	Initial boiling point and boiling range:	not determined	
Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C Auto-ignition temperature: >400 °C Solid: not applicable Gas: not applicable Oxidizing properties >180 °C Not oxidizing. >180 °C Vapour pressure: <10 hPa	Flash point:	>100 °C	DIN 51755
Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Decomposition temperature: >180 °C Oxidizing properties Not oxidizing. Vapour pressure: <10 hPa (at 20 °C) Density (at 20 °C): 0,92 g/cm ³ DIN 51757 Water solubility: insolube Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: <10 hPa (at 23 °C) Vapour density: not determined Vapour density: not determined Subject of the solvents of the solvents not determined Partition coefficient: not determined Viscosity / dynamic: <10 hPa (at 23 °C) Vapour density: not determined Function rate: not determined Solubility in other solvents of the solven		not applicable	
Upper explosion limits:not determinedIgnition temperature:>400 °CDIN 51794Auto-ignition temperaturesolid:not applicableSolid:not applicable-Gas:not applicable-Decomposition temperature:>180 °C-Oxidizing properties>180 °C-Not oxidizing.<10 hPa	Gas:	not applicable	
Upper explosion limits:not determinedIgnition temperature:>400 °CDIN 51794Auto-ignition temperaturesolid:not applicableSolid:not applicable-Gas:not applicable-Decomposition temperature:>180 °C-Oxidizing properties>180 °C-Not oxidizing.<10 hPa	Lower explosion limits:	not determined	
Auto-ignition temperature not applicable Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Oxidizing properties >180 °C Not oxidizing. <10 hPa	-	not determined	
Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Oxidizing properties >180 °C Not oxidizing. <10 hPa	Ignition temperature:	>400 °C	DIN 51794
Oxidizing properties Not oxidizing. Vapour pressure: <10 hPa (at 20 °C) 0,92 g/cm³ Density (at 20 °C): 0,92 g/cm³ Density (at 20 °C): 0,92 g/cm³ Vater solubility: insoluble Solubility in other solvents not determined insoluble Partition coefficient: not determined Viscosity / dynamic: 45000 mPa·s BROOKFIELD (at 23 °C) not determined Vapour density: not determined Evaporation rate: not determined 9.2. Other information Use other information	Solid:		
Not oxidizing. <10 hPa	Decomposition temperature:	>180 °C	
(at 20 °C)0,92 g/cm³ DIN 51757Density (at 20 °C):0,92 g/cm³ DIN 51757Water solubility:insolubleSolubility in other solvents not determinedsolubilityPartition coefficient:not determinedViscosity / dynamic: (at 23 °C)not determinedVapour density:not determinedEvaporation rate:not determined9.2. Other informationutermined			
Water solubility: insoluble Solubility in other solvents not determined insoluble Partition coefficient: not determined Viscosity / dynamic: 45000 mPa·s BROOKFIELD (at 23 °C) not determined Vapour density: not determined Evaporation rate: not determined 92. Other information		<10 hPa	
Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: (at 23 °C) 45000 mPa ·s BROOKFIELD Vapour density: not determined Image: Solution rate: Image: Solution rate: Image: Solution rate: 9.2. Other information Image: Solution rate: Image: Solution rate: Image: Solution rate: Image: Solution rate:	Density (at 20 °C):	0,92 g/cm³	DIN 51757
not determinedPartition coefficient:not determinedViscosity / dynamic:45000 mPa·sBROOKFIELD(at 23 °C)anot determinedVapour density:not determinedEvaporation rate:not determined9.2. Other informationU	Water solubility:	insoluble	
Viscosity / dynamic: (at 23 °C) 45000 mPa·s BROOKFIELD Vapour density: not determined Evaporation rate: not determined 9.2. Other information Horizontal	-		
(at 23 °C)Vapour density:Evaporation rate:not determined9.2. Other information	Partition coefficient:	not determined	
Evaporation rate: not determined 9.2. Other information		45000 mPa·s	BROOKFIELD
9.2. Other information	Vapour density:	not determined	
	Evaporation rate:	not determined	
Solid content: not determined	9.2. Other information		
	Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : Acids, alkalis, alcohols, powdered metals or metal oxides with release of hydrogen.

10.4. Conditions to avoid

Temperatures > 150°C/ 302 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of thermic decomposition hydrogen is released. At a temperature of approx. 150°C/ 302°F a small amount of formaldehyde can be released by oxidative degradation.

SECTION 11: Toxicological information

according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 5 of 7

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
8042-47-5	paraffin oil	paraffin oil				
	oral	LD50 mg/kg	>5000	Rat	OECD	
	dermal	LD50 mg/kg	>2000	Rabbit	OECD	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [c] Species	Source	Method
8042-47-5	paraffin oil					
	Acute fish toxicity	LC50 >1000 mg/l	96	h Leuciscus idus (golden orfe)	OECD	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 6 of 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Inland waterways transport (ADN)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.6. Special precautions for user			
No dangerous good in sense of this transport regulation.			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code			

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

aquaplus® (base + catalyst)

Revision date: 09.08.2018

Product code: 1087

Page 7 of 7

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
EUH210	Safety data sheet available on request.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)